

Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 006 363 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
07.06.2000 Bulletin 2000/23

(51) Int. Cl.⁷: G01N 33/543, C12Q 1/68

(21) Application number: 99123786.8

(22) Date of filing: 30.11.1999

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: 01.12.1998 JP 34160498

(71) Applicant:
Hitachi Software Engineering Co., Ltd.
Yokohama-shi, Kanagawa 231-8475 (JP)


(72) Inventors:
• Ito, Toshiaki,
c/o Hitachi Software Eng. Co., Ltd.
Yokohama-shi, Kanagawa 231-8475 (JP)

• Yamamoto, Kenji,
Hitachi Software Eng. Co., Ltd.
Yokohama-shi, Kanagawa 231-8475 (JP)
• Watanabe, Toshimasa,
Hitachi Software Eng. Co. Ltd
Yokohama-shi, Kanagawa 231-8475 (JP)
• Yurino Noriko ,
Hitachi Software Eng. Co. Ltd
Yokohama-shi, Kanagawa 231-8475 (JP)

(74) Representative:
Liesegang, Roland, Dr.-Ing.
FORRESTER & BOEHMERT
Franz-Joseph-Strasse 38
80801 München (DE)

(54) Biochip and method for producing the same

(57) A biochip comprising probes spotted on a plate at a plurality of positions by using a binding agent for binding the probes to the plate, wherein the binding agent is locally spotted at positions where the probes are spotted.



EP 1 006 363 A2

Description

FIELD OF THE INVENTION

[0001] The present invention relates to a biochip 5 comprising a plate spotted with various probes.

BACKGROUND OF THE INVENTION

[0002] Conventionally, biochips are produced by 10 spotting various biopolymer probes such as DNAs, RNAs and proteins on a plate (e.g., a glass plate). Figures 4A to 4E are diagrams for illustrating the principle of such conventional technique. First, a microplate 2 containing various probe DNAs 1 (Figure 4A) and a glass plate 3 (Figure 4B) are prepared. As shown in Figure 4C, the surface of the glass plate 3 is coated with poly-1-lysine binding agent 4 for binding the DNAs 1 to the glass plate 3. Thereafter, each of the probe DNAs 1 in the microplate 2 is transferred by a pin 5 and spotted onto the glass plate 3 coated with the poly-1-lysine binding agent 4 (Figure 4D). This process is repeated for all of the probe DNAs 1 in the microplate 2, thereby producing a biochip shown in Figure 4E. In such manner, the binding agent for binding DNA to the glass plate is conventionally coated on the entire surface of the plate before spotting the DNAs on the plate.

[0003] Figures 5A to 5C are diagrams for illustrating the principle of hybridization using the biochip. Referring to Figure 5A, sample DNA 11 labeled with a fluorescent substance 10 is hybridized in a hybridization solution with the probe DNAs 1 that are spotted onto the glass plate 3 of the biochip via the binding agent 4. The hybridization solution contains formaldehyde, SSC (NaCl, trisodium citrate), SDS (sodium dodecyl sulfate), EDTA (ethylenediaminetetraacetic acid), distilled water and the like where the mixing ratio depends on the characteristics of the DNA used.

[0004] When the sample DNA 11 is complementary to any one of the probe DNAs 1 on the biochip, it binds to that DNA on the biochip and forms a duplex. The sample DNA 11 does not bind to probe DNAs that are not complementary thereto. However, the sample DNA 11 may bind to the binding agent 4 coating the glass plate 3, thereby remaining as garbage.

[0005] As shown in Figure 5B, the glass plate 3 of the biochip hybridized with the sample DNA 11 is washed in water 12 to remove the sample DNA 11 that is not bound to the probe DNAs 1. Referring to Figure 5C, the fluorescent substance 10 labeling the sample DNA 11 bound to the probe DNA 1 is excited with light from a lamp 14. The fluorescent light emanated from the fluorescent substance 10 is detected by an optical sensor 13 such as a CCD to detect the presence of hybridization.

[0006] In a laboratory, the sample DNA 11 is poured onto the biochip to allow hybridization with the probe DNAs 1 spotted on the biochip followed by detection of

the probe DNA bound by the sample DNA 11. Following the hybridization and prior to the detection, the biochip is washed with water to remove the sample DNA 11 that did not bind to the probe DNAs. However, since the entire surface of the glass plate 3 is coated with the binding agent 4 for binding the probe DNA to the glass plate 3, sample DNA 11 adheres to the binding agent area of the glass plate 3 where the probe DNAs 1 are not located. The sample DNA 11 bound to the binding agent 4 cannot be removed from the glass plate 3 by washing with water. Such remainder sample DNA 1 is detected as noise upon detection, rendering the detection sensitivity poor. In other words, some of the sample DNA 11 that is not specific to the probe DNA binds to and remains on the biochip via the binding agent 4 as garbage. When the fluorescent substance 10 labeling the sample DNA 11 bound to the binding agent 4 is excited, the fluorescent light therefrom is detected as noise, whereby S/N (signal-to-noise) ratio is lowered.

[0007] The present invention aims to solve this problem, and provides a biochip in which sample DNA does not bind to area of the plate where the probes are not located. The present invention also provides a method for producing such biochip.

SUMMARY OF THE INVENTION

[0008] In order to accomplish the above object, the present invention provides a binding agent for binding probes on a plate only where the probes are to be spotted. Since no binding agent is provided on the portions of the plate where the probes are not to be spotted, the sample DNA that does not bind to the probe upon hybridization can be removed away from the biochip by washing with water. Therefore, noise produced upon detection can be eliminated and thus the S/N ratio can be enhanced for high sensitivity.

[0009] A biochip according to the present invention includes probes spotted on a plate at a plurality of positions by using a binding agent for binding the probes to the plate, wherein the binding agent is locally spotted at positions where the probes are spotted.

[0010] In a preferred embodiment of the inventive biochip the material of the plate is selected from the group comprising glass, nylon membranes, silicone wafer, polyimide resin and polymer plastic.

[0011] In a further preferred embodiment of the inventive biochip the binding agent is selected from the group comprising poly-1-lysine, carbodiimide and silylation-coating.

[0012] A method for producing a biochip by spotting probes on a plate by using a binding agent for binding the probes to the plate according to the present invention includes a step of spotting mixtures of respective probes and the binding agent on the plate.

[0013] An alternative method for producing a biochip by spotting probes on a plate according to the present invention includes the steps of: spotting a bind-

ing agent for binding the probes to the plate at positions where the probes are to be spotted; and spotting the probes on the plate at positions where the binding agent is spotted.

[0014] The plate used in the inventive methods may be made of a material selected from the group comprising glass, nylon membranes, silicone wafer, polyimide resin and polymer plastic.

[0015] In a preferred embodiment of the inventive methods the binding agent is selected from the group comprising poly-1-lysine, carbodiimide and silylation-coating.

[0016] The probes are preferably spotted by using the inventive pin.

[0017] The problem underlying the present invention is also solved by a pin used for spotting a probe on a plate, wherein a tip of the tip comprises at least a recess.

[0018] In one embodiment of the inventive pin the recess is of a concave shape.

[0019] In a second embodiment of the inventive pin the recess comprises at least one groove.

[0020] In a third embodiment the recess comprises a radially-shaped groove.

[0021] According to the invention, a pin used for spotting a probe on a plate has a tip provided with at least one groove. For example, the groove may be a radially-shaped groove such as a cross-shaped groove.

[0022] This specification includes all or part of the contents as disclosed in the specification and/or drawings of Japanese Patent Application No. 10-341604, which is a priority document of the present application.

BRIEF DESCRIPTION OF THE DRAWINGS

[0023]

Figures 1A to 1E are schematic diagrams showing the principle of one embodiment of the present invention;

Figures 2A to 2E are diagrams showing the principle of another embodiment of the present invention;

Figures 3A to 3C are diagrams for illustrating the principle of the hybridization and detection using the biochip of the invention;

Figures 4A to 4E are diagrams for illustrating the principle of a method for producing a conventional biochip;

Figures 5A to 5C are diagrams for illustrating the principle of hybridization and detection using the conventional biochip; and

Figures 6A to 6C are schematic diagrams showing shapes of a tip (i.e., a portion where probes are to

be contacted and carried) of a pin according to the invention.

DETAILED DESCRIPTION OF THE INVENTION

[0024] Hereinafter, the present invention will be described in more detail by way of examples with reference to the accompanying drawings. In the examples, DNA is used as a probe although the probe is not limited thereto, and RNA or protein may also be used as a probe. Although a glass plate is used in the examples, a nylon membrane or the like may also be used.

[0025] Figures 1A to 1E are schematic diagrams showing the principle of a first embodiment of the present invention. As shown in Figure 1A, a microplate 2 contains various probe DNAs 1. A plate 3 to be incorporated into the biochip shown in Figure 1B is made of glass. Referring to Figure 1C, a binding agent 4 for binding DNA to glass is dispensed into each well of the microplate 2 to be mixed therein with each of the probe DNAs 1. The binding agent 4 may be, for example, poly-1-lysine or carbodiimide.

[0026] Then, as shown in Figure 1D, each of the mixtures of the binding agent 4 and the probe DNAs 1 is suctioned by a pin 5 (or contacted and carried by the tip of the pin 5) and spotted onto the plate 3. This process is repeated for all of the probe DNAs 1 in the microplate 2, thereby producing a biochip 20 shown in Figure 1E in which the binding agent 4 is present only at the desired portions and is not present at portions where there is no probe.

[0027] Figures 2A to 2E are diagrams showing the principle of a second embodiment of the present invention. A microplate 2 containing various probe DNAs 1 (Figure 2A) and a plate 3 made of glass (Figure 2B) are prepared. As shown in Figure 2C, a binding agent is suctioned by, for example, a capillary tube 6 and applied on the glass plate 3 at positions where the probe DNAs are to be spotted. Then, as shown in Figure 2D, the probe DNAs 1 in the microplate 2 are suctioned with the pin 5 (or is contacted and carried by the tip of the pin 5) and spotted onto the plate 3. This process is repeated for all of the probe DNAs 1 in the microplate 2, thereby producing a biochip 30 in which the binding agent 4 is not provided on portions other than portions where the probe DNAs 1 are present (Figure 2E).

[0028] Figures 6A to 6C are schematic diagrams showing shapes of a tip (i.e., a portion where probes are to be contacted) of a pin 5 according to the invention. Figure 6A shows a pin 5a with a concave tip. A pin 5b shown in Figure 6B has a concave tip with a cross-shaped groove. The concave shape of the tip of the pin allows the probe solution to be carried by surface tension by simply dipping the pin in the solution. The depth of the concave is optional. The amount of the DNA carried with the pin 5a or 5b with the concave tip is about 10 times or more the amount carried with a conventional pin with a flat tip. A pin 5c shown in Figure 5C has a flat

tip with a cross-shaped groove. The amount of the DNA carried with this pin 5c is also higher than that carried with the conventional flat tip.

[0029] Figures 3A to 3C are diagrams for illustrating the principle of hybridization using the biochip 20 of the invention. Referring to Figure 3A, a sample DNA 11 labeled with a fluorescent substance 10 is placed together with the biochip 20 in a hybridization solution for hybridization. The probe DNAs 1 are spotted on the glass plate 3 via the binding agent 4 in the biochip 20. The hybridization solution contains formaldehyde, SSC (NaCl, trisodium citrate), SDS (sodium dodecyl sulfate), EDTA (ethylenediaminetetraacetic acid) and distilled water where the mixing ratio differs depending on the characteristic of the DNA used.

[0030] When the sample DNA 11 and any one of the probe DNAs 1 on the biochip 20 are complementary to each other, both DNAs bind to each other and form a duplex. On the other hand, when the sample DNA 11 and any one of the probe DNAs 1 are not complementary to each other, the sample DNA 11 does not bind to that probe DNA 1 and remain as garbage. As shown in Figure 3B, the sample DNA 11 labeled with the fluorescent substance 10 remaining on the glass plate 3 is washed away in water 12. Since the binding between the glass and the DNA is weak, the remaining garbage sample 11 that is not bound to the probe DNAs 1 is removed away. Referring to Figure 3C, the fluorescent substance 10 labeling the sample DNA 11 bound to the probe DNA 1 is excited with light from a lamp 14. The fluorescent light emanated from the fluorescent substance 10 is detected by an optical sensor 13 such as a CCD to detect the presence of hybridization. Since there is no garbage sample DNA left on the biochip 20, the S/N ratio upon detection is enhanced.

[0031] According to the present invention, a biochip can be produced in which a binding agent is locally spotted only where probes are to be spotted. Thus, the detection sensitivity upon reading the biochip can be enhanced.

[0032] All publications, including patent and patent application cited herein are incorporated herein by reference in their entirety.

[0033] The features disclosed in the foregoing description, in the claims and/or in the accompanying drawings may, both separately and in any combination thereof, be material for realising the invention in diverse forms thereof.


Claims

1. A biochip comprising probes spotted on a plate at a plurality of positions by using a binding agent for binding the probes to the plate, wherein the binding agent is locally spotted at positions where the probes are spotted.

2. The biochip according to claim 1, wherein the mate-

rial of the plate is selected from the group comprising glass, nylon membranes, silicone wafer, polyimide resin and polymer plastic.

3. The biochip according to claim 1 or 2, wherein the binding agent is selected from the group comprising poly-1-lysine, carbodiimide and silylation-coating.
4. A method for producing a biochip by spotting probes on a plate by using a binding agent for binding the probes to the plate, the method comprising a step of spotting mixtures of respective probes and the binding agent on the plate.
5. A method for producing a biochip by spotting probes on a plate, the method comprising the steps of:
spotting a binding agent for binding the probes to the plate at positions where the probes are to be spotted; and
spotting the probes on the plate at positions where the binding agent is spotted.
6. The method for producing a biochip according to claim 4 or 5, wherein the plate is made of a material which is selected from the group comprising nylon membranes, glass, silicone wafer, polyimide resin and polymer plastic.
7. The method according to any of claims 4 to 6, wherein the binding agent is selected from the group comprising poly-1-lysine carbodiimide and silylation-coating.
8. The method for producing a biochip according to any one of claims 4 to 7, wherein the probes are spotted by using a pin with a recessed tip.
9. A pin used for spotting a probe on a plate, wherein a tip of the pin comprises at least one recess.
10. The pin according to claim 9, wherein the recess is of a concave shape.
11. The pin according to claim 9, wherein the recess comprises at least one groove.
12. The pin according to claim 9 or 11, wherein the recess comprises a radially-shaped groove.






Fig.3A




Fig.3B





Fig.3C






Fig.5A




Fig.5B





Fig.5C







Fig.6A





Fig.6B






Fig.6C



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11) **EP 1 006 363 A3**

(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
16.08.2000 Bulletin 2000/33

(51) Int. Cl. 7: **G01N 33/543**, C12Q 1/68,
B01L 3/02

(43) Date of publication A2:
07.06.2000 Bulletin 2000/23

(21) Application number: **99123786.8**

(22) Date of filing: **30.11.1999**

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: **01.12.1998 JP 34160498**

(71) Applicant:
Hitachi Software Engineering Co., Ltd.
Yokohama-shi, Kanagawa 231-8475 (JP)


(72) Inventors:
• **Ito, Toshiaki,**
c/o Hitachi Software Eng. Co., Ltd.
Yokohama-shi, Kanagawa 231-8475 (JP)

• **Yamamoto, Kenji,**
Hitachi Software Eng. Co., Ltd.
Yokohama-shi, Kanagawa 231-8475 (JP)
• **Watanabe, Toshimasa,**
Hitachi Software Eng. Co. Ltd
Yokohama-shi, Kanagawa 231-8475 (JP)
• **Yurino Noriko,**
Hitachi Software Eng. Co. Ltd
Yokohama-shi, Kanagawa 231-8475 (JP)

(74) Representative:
Liesegang, Roland, Dr.-Ing.
FORRESTER & BOEHMERT
Franz-Joseph-Strasse 38
80801 München (DE)

(54) **Biochip and method for producing the same**

(57) A biochip comprising probes spotted on a plate at a plurality of positions by using a binding agent for binding the probes to the plate, wherein the binding agent is locally spotted at positions where the probes are spotted.



EP 1 006 363 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 99 12 3786

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
P,X	EP 0 908 725 A (SEIKO EPSON) 14 April 1999 (1999-04-14) * claims 1,5,6 * * column 2, line 43 - line 49 * * column 4, line 32 - column 5, line 22 * ---	1-7	G01N33/543 C12Q1/68 B01L3/02
P,X	EP 0 895 082 A (CANON KK) 3 February 1999 (1999-02-03) * page - * ---	1-7	
X	EP 0 469 445 A (BOEHRINGER MANNHEIM GMBH) 5 February 1992 (1992-02-05) * claims * * page 2, line 34 - page 3, line 2 * * page 4, line 5 - line 16 * ---	1-7	
Y		1-7	
P,X	WO 99 57323 A (BAYLOR COLLEGE MEDICINE) 11 November 1999 (1999-11-11) * claims 31-41,44 * * page 7, line 9 - line 30 * * example 3 * * figure 3 * ---	1-7	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
P,X	WO 99 07888 A (BULYK MARTHA L ;CHURCH GEORGE M (US); HARVARD COLLEGE (US)) 18 February 1999 (1999-02-18) * claims 1-15 * * page 12, line 27 - page 13, line 16 * ---	1-7	G01N C12Q B01J B01D B01L
X	US 4 591 570 A (CHANG TSE-WEN) 27 May 1986 (1986-05-27) * claims 1-16 * * column 3, line 31 - line 55 * ---	1-7	
		-/--	
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 31 May 2000	Examiner Routledge, B
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03.92 (P04001)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 99 12 3786

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	SCHEMA M ET AL: "Microarrays: biotechnology's discovery platform for functional genomics" TRENDS IN BIOTECHNOLOGY,GB,ELSEVIER PUBLICATIONS, CAMBRIDGE, vol. 16, no. 7, 1 July 1998 (1998-07-01), pages 301-306, XP004145643 ISSN: 0167-7799	1-7	
Y	* page 303 - page 304 * ---	1-7	
X	O'DONNELL-MALONEY M J ET AL: "Microfabrication and array technologies for DNA sequencing and diagnostics" GENETIC ANALYSIS: BIOMOLECULAR ENGINEERING,US,ELSEVIER SCIENCE PUBLISHING, vol. 13, no. 6, 1 December 1996 (1996-12-01), pages 151-157, XP004017264 ISSN: 1050-3862	1-7	
Y	* page 153 - page 154 * ---	1-7	
E	WO 00 01798 A (CARTESIAN TECHNOLOGIES INC) 13 January 2000 (2000-01-13) * claims 1-12 * * figure 1 * * page 3, line 19 - line 28 * * page 5, line 5 - line 8 * ---	8-12	TECHNICAL FIELDS SEARCHED (Int.Cl.7)
P,X	WO 99 05308 A (TABONE JOHN C ;RAPIGENE INC (US); MOYNIHAN KRISTEN (US); NESS JEFF) 4 February 1999 (1999-02-04) * figures 2A,,2B,,4A,4B * * page 6, line 11 - line 20 * * page 9, line 3 - line 13 * * page 10, line 22 - page 11, line 3 * --- -/--	8-12	
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 31 May 2000	Examiner Routledge, B
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

EPO FORM 1503 03.02 (P04001)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 99 12 3786

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
P,X	WO 99 04896 A (TABONE JOHN C ;RAPIGENE INC (US); MOYNIHAN KRISTEN (US); NESS JEFF) 4 February 1999 (1999-02-04) * claims 30,59 * * figures 2A,,2B,,4A,,4B * * page 4, line 11 - line 20 * * page 12, line 5 - line 21 * * page 13, line 6 - line 16 * * page 14, line 25 - page 15, line 6 * ---	8-12	TECHNICAL FIELDS SEARCHED (Int.Cl.7)
X	WO 98 20020 A (KOSTER HUBERT ;LITTLE DANIEL P (US); SEQUENOM INC (US); CANTOR CHA) 14 May 1998 (1998-05-14) * claims * * page 5, line 1 - line 12 * * page 13, line 14 - line 17 * * page 53, line 21 - page 54, line 11 * ---	8-12	
X	WO 98 20019 A (REUTER DIRK ;HIGGINS G SCOTT (DE); LOUGH DAVID M (GB); KOESTER HUB) 14 May 1998 (1998-05-14) * figures 9A-9E * * page 5, line 28 - page 6, line 4 * * page 19, line 11 - line 17 * ---	8-12	
X	WO 97 43447 A (HARVEY THOMAS B III ;ACKLEY DONALD E (US); MARACAS RICHARD (US); M) 20 November 1997 (1997-11-20) * claims * * figures 11,12 * * page 11, line 21 - page 12, line 11 * ---	8-12	
X	US 5 557 213 A (REUTER MARK S ET AL) 17 September 1996 (1996-09-17) * claims * * figures 2-7 * * column 5, line 16 - column 6, line 50 * --- -/--	8-12	
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 31 May 2000	Examiner Routledge, B
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

EPO FORM 1500 (03.82 (P4C01))



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 99 12 3786

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	US 5 457 041 A (GINAVEN ROBERT O ET AL) 10 October 1995 (1995-10-10) * claims 6-10 * * figures 1,,4A,,4B * * column 4, line 11 - line 21 * * column 6, line 35 - line 44 * ---	8-12	
X	US 5 262 128 A (LEIGHTON STEPHEN B ET AL) 16 November 1993 (1993-11-16) * claims 10-12 * * figure 6 * * column 2, line 42 - line 45 * * column 7, line 22 - line 30 * ---	8-12	
X	DE 28 52 886 A (FEINMETALL GMBH) 19 June 1980 (1980-06-19) * claims * * figures 1-4 * -----	8-12	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 31 May 2000	Examiner Routledge, B
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons ----- & : member of the same patent family, corresponding document	

EPO FORM 1503 03.92 (P4001)



European Patent
Office

Application Number

EP 99 12 3786

CLAIMS INCURRING FEES

The present European patent application comprised at the time of filing more than ten claims.

- ☐ Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid, namely claim(s):
- ☐ No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.

LACK OF UNITY OF INVENTION

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

see sheet B

- ☒ All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.
- ☐ As all searchable claims could be searched without effort justifying an additional fee, the Search Division did not invite payment of any additional fee.
- ☐ Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:
- ☐ None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:



European Patent
Office

**LACK OF UNITY OF INVENTION
SHEET B**

Application Number
EP 99 12 3786

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

1. Claims: 1-7

Biochip comprising an array of probes spotted onto a surface wherein the binding agent used to bind the probe is only spotted at the same locations on the surface as the probes.
Methods for making said biochip.

2. Claims: 8-12

Pin having a recessed end, said recess taking the form of a concave shape, groove or radially shaped groove. Method of making biochip using said pin.

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 99 12 3786

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

31-05-2000

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 908725	A	14-04-1999	JP 2000033712 A	02-02-2000
			CA 2248517 A	30-03-1999
EP 0895082	A	03-02-1999	JP 11187900 A	13-07-1999
EP 0469445	A	05-02-1992	DE 4024544 A	06-02-1992
			AT 138197 T	15-06-1996
			AU 635143 B	11-03-1993
			AU 8116791 A	06-02-1992
			CA 2047637 A	03-02-1992
			DE 59107805 D	20-06-1996
			FI 913668 A	03-02-1992
			IL 99043 A	27-11-1995
			JP 2607320 B	07-05-1997
			JP 4262256 A	17-09-1992
			NO 913000 A	03-02-1992
			NZ 239060 A	26-03-1993
			PT 98514 A	30-09-1993
			US 5378638 A	03-01-1995
			ZA 9106054 A	29-04-1992
WO 9957323	A	11-11-1999	US 6048695 A	11-04-2000
			AU 3786199 A	23-11-1999
WO 9907888	A	18-02-1999	AU 8588498 A	01-03-1999
			EP 1003912 A	31-05-2000
US 4591570	A	27-05-1986	AT 77699 T	15-07-1992
			DE 3485785 A	30-07-1992
			DE 3485785 T	24-12-1992
			EP 0135541 A	03-04-1985
			JP 60500732 T	16-05-1985
			WO 8403151 A	16-08-1984
WO 0001798	A	13-01-2000	AU 4861099 A	24-01-2000
WO 9905308	A	04-02-1999	AU 8504598 A	16-02-1999
			EP 0996500 A	03-05-2000
WO 9904896	A	04-02-1999	AU 8582598 A	16-02-1999
			EP 0998347 A	10-05-2000
WO 9820020	A	14-05-1998	US 6024925 A	15-02-2000
			AU 5106998 A	29-05-1998
			AU 5198098 A	29-05-1998
			DE 19782095 T	23-03-2000

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 99 12 3786

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

31-05-2000

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9820020	A		DE 19782096 T	23-03-2000
			EP 0954612 A	10-11-1999
			EP 0937096 A	25-08-1999
			NO 992168 A	06-07-1999
			NO 992169 A	06-07-1999
			WO 9820166 A	14-05-1998
			AU 5247298 A	29-05-1998
			DE 19782097 T	14-10-1999
			EP 0937097 A	25-08-1999
			NO 992167 A	05-07-1999
			WO 9820019 A	14-05-1998
WO 9820019	A	14-05-1998	US 5900481 A	04-05-1999
			US 6024925 A	15-02-2000
			AU 5106998 A	29-05-1998
			AU 5247298 A	29-05-1998
			DE 19782095 T	23-03-2000
			DE 19782097 T	14-10-1999
			EP 0954612 A	10-11-1999
			EP 0937097 A	25-08-1999
			NO 992167 A	05-07-1999
			NO 992168 A	06-07-1999
			WO 9820166 A	14-05-1998
			AU 5198098 A	29-05-1998
			DE 19782096 T	23-03-2000
			EP 0937096 A	25-08-1999
			NO 992169 A	06-07-1999
			WO 9820020 A	14-05-1998
WO 9743447	A	20-11-1997	US 5731152 A	24-03-1998
			AU 2250297 A	05-12-1997
			BR 9702230 A	23-02-1999
			CA 2226662 A	20-11-1997
			CN 1193358 A	16-09-1998
			FR 2748568 A	14-11-1997
			GB 2317180 A	18-03-1998
			US 6048691 A	11-04-2000
			US 6013446 A	11-01-2000
US 5557213	A	17-09-1996	NONE	
US 5457041	A	10-10-1995	NONE	
US 5262128	A	16-11-1993	AU 6640190 A	16-05-1991
			EP 0497885 A	12-08-1992
			WO 9105519 A	02-05-1991

EPO FORM P0458

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 99 12 3786

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

31-05-2000

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
DE 2852886 A	19-06-1980	NONE	

FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82